


Probability Distributions: Continuous

Data Science: Jordan Boyd-Graber University of Maryland FEBRUARY 11, 2018

Beta distribution

- The Beta distribution is over real values on the interval [0,1].
- Useful distribution for modeling percentages and proportions
 - Batting averages in baseball
 - Percentage of people with a disease in a country
- The density is proportional to: $x^{\alpha-1}(1-x)^{\beta-1}$
- Related to the Bernoulli distribution: $x^{\theta}(1-x)^{1-\theta}$

Beta distribution



Beta distribution

The PDF for Beta is:


$$f(x) = \underbrace{\frac{\Gamma(\alpha + \beta)}{\Gamma(\alpha) + \Gamma(\beta)}}_{x^{\alpha-1}} x^{\alpha-1} (1 - x)^{\beta-1}$$


Inverse Beta function, related to the binomial coefficient

- Γ is the gamma function, $\Gamma(x) = (x-1)!$
 - Just like the factorial function, but works for real values in addition to integers
- Mean: $\mathbb{E}[X] = \frac{\alpha}{\alpha + \beta}$
- The parameters α and β must be > 0.

- The Dirichlet distribution is a generalization of the Beta distribution for multiple random variables
- The Dirichlet distribution is over <u>vectors</u> whose values are all in the interval [0, 1] and the sum of values in the vector is 1.
 - In other words, the vectors in the sample space of the Dirichlet have the same properties as probability distributions.
 - The Dirichlet distribution can be thought of as a "distribution over distributions".
- The PDF for a K-dimensional Dirichlet distribution has a vector of parameters denoted α, given by:

$$f(\mathbf{x}) = \frac{\prod_{k=1}^{K} \Gamma(\alpha_k)}{\Gamma(\sum_{k=1}^{K} \alpha_i)} \prod_{k=1}^{K} x_k^{\alpha_k - 1}$$





- The Dirichlet PDF looks similar to the multinomial distribution.
 - The Dirichlet density is proportional to: $\prod_k x_k^{\alpha_k-1}$
 - The multinomial mass is proportional to: $\prod_k x_k^{\theta_k}$
- Remember this analogy:
 - Beta : binomial :: Dirichlet : multinomial